



EOS-300 U9

TAGEOS

Datasheet

Cost-Effective Global Inlay for High-Volume Applications



TAGEOS

The EOS-300 U9 inlay is optimized within a compact form factor that is ideal for retail hang tags and logistics packaging. It has excellent orientation sensitivity and performs extremely well on a wide range of materials in dense tagging environments. It is an ideal low-cost solution for inventory control in non-food industries such as retail, logistics and supply chain management.

The inlay is perfect for large-scale global deployments, since it is a small, universal tag that can operate in any frequency band, simplifying the tag supply chain for global enterprises.

EOS-300 U9 is available in dry, wet, and paper-face delivery formats.

The EOS-300 U9 uses NXP's UCODE 9 IC, which enables long read distance and fast inventory of dense RFID tag populations. The chip also features

96-bit EPC; kill password; EPC and kill password permalock; self-adjusting impedance; and memory integrity safeguards.

Tageos maintains annual ARC Quality Certification for all its manufacturing sites worldwide and was among the first companies to receive certification from the Auburn University RFID Lab in 2020. EOS-300 U9 complies with ARC specifications F, I, L, O, Q, R, Y2, W5, and W6.

Tageos complies with ISO 9001:2025 Quality Management and ISO 14001:2015 Environmental Management as well as utilizing sustainable manufacturing processes and materials, such as FSC®-certified paper, whenever possible. In addition, all Tageos products meet the RoHS and REACH environmental directives.

Overview


IC:	NXP UCODE 9
EPC/User Memory:	96 bit / - bit
TID Memory:	96 bit incl. 48 bit unique S/N
Frequency Band:	860 - 960 MHz
Protocol:	EPC Class 1 Gen 2 - ISO 18000-63

Application Areas

- Apparel
- Inventory Visibility
- Item Level Tagging
- Parts Management
- Supply Chain Management



The mark of
responsible forestry
FSC® C166692




EOS-300 U9

TAGEOS

Technical Overview

	Dry	Wet	Paper-face
Product Code	3000000171	3000000157	3000000150
Antenna Size	50 x 30 mm 1.97 x 1.18 in	50 x 30 mm 1.97 x 1.18 in	50 x 30 mm 1.97 x 1.18 in
Die-cut Size	- -	54 x 34 mm 2.13 x 1.34 in	54 x 34 mm 2.13 x 1.34 in
Web Width	60 ± 1 mm 2.362 ± 0.04 in	60 ± 1 mm 2.362 ± 0.04 in	60 ± 1 mm 2.362 ± 0.04 in
Pitch	38.10 ± 0.2 mm 1.500 ± 0.01 in	38.10 ± 1 mm 1.500 ± 0.04 in	38.10 ± 1 mm 1.500 ± 0.04 in
ARC Approvals	F, I, L, O, Q, R, Y2, W5, W6	F, I, L, O, Q, R, Y2, W5, W6	F, I, L, O, Q, R, Y2, W5, W6
FSC® Certification	-	-	-
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	Clear plastic	TT Paper
Inlay Substrate	Clear PET	Clear PET	Clear PET
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating Temperature	-40°C / +85°C -40°F / +185°F @20% to 90% RH	-40°C / +85°C -40°F / +185°F @20% to 90% RH	-40°C / +85°C -40°F / +185°F @20% to 90% RH
Shelf Life	2 years @ +25°C/40%RH	2 years @ +25°C/40%RH	2 years @ +25°C/40%RH
Final Inspection	100% tested	100% tested	100% tested




Contact us:

Tageos HQ . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com



Graphs: All the graphs are indicative; performance in real life applications may vary. The data has been determined based on calculations for transmitters with a normal output power level and respective IC silicon. **Storage & handling precautions:** Observe standard storage and handling practices to minimize Electro Static Discharge. Tageos reserves the right to change its products and services at any time without notice. As our products are used in circumstances beyond our control, we cannot be held liable for any damages caused through their use. This is a general purpose product not designed or intended for any specific application.

© 2025 Tageos. All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.




EOS-300 U9

TAGEOS

Product Specifications

Mechanical Dimensions



	Dry	Wet	Paper-face
Product Code	3000000171	3000000157	3000000150
Antenna Size	A x B 50 x 30 mm / 1.97 x 1.18 in	50 x 30 mm / 1.97 x 1.18 in	50 x 30 mm / 1.97 x 1.18 in
Die-cut Size	C x D -	54 x 34 mm / 2.13 x 1.34 in	54 x 34 mm / 2.13 x 1.34 in
Web Width	E $60.0 \pm 1 \text{ mm} / 2.362 \pm 0.04 \text{ in}$	$60.0 \pm 1 \text{ mm} / 2.362 \pm 0.04 \text{ in}$	$60.0 \pm 1 \text{ mm} / 2.362 \pm 0.04 \text{ in}$
Pitch	F $38.10 \pm 0.2 \text{ mm} / 1.500 \pm 0.01 \text{ in}$	$38.10 \pm 1 \text{ mm} / 1.500 \pm 0.04 \text{ in}$	$38.10 \pm 1 \text{ mm} / 1.500 \pm 0.04 \text{ in}$
Antenna to Web Edge	G1 $5 \pm 1 \text{ mm} / 0.20 \pm 0.04 \text{ in}$	-	-
Antenna to Die-cut	G2 -	$2.0 \pm 1 \text{ mm} / 0.079 \pm 0.04 \text{ in}$	$2.0 \pm 1 \text{ mm} / 0.079 \pm 0.04 \text{ in}$
Die-cut to Web Edge	H -	$3.0 \pm 1 \text{ mm} / 0.118 \pm 0.04 \text{ in}$	$3.0 \pm 1 \text{ mm} / 0.118 \pm 0.04 \text{ in}$
Antenna Gap	I $8.10 \text{ mm} / 0.318 \text{ in}$	-	-
Converting Spot	J -	-	-
Bad Mark	K $0.6 \text{ mm} / 0.236 \text{ in}$	$0.6 \text{ mm} / 0.236 \text{ in}$	$0.6 \text{ mm} / 0.236 \text{ in}$
Interleaves	L yes	-	-



EOS-300 U9

TAGEOS

Packing Details

	Dry	Wet	Paper-face
Product Code	3000000171	3000000157	3000000150
Delivery Format	Roll (single row)	Roll (single row)	Roll (single row)
Core Inner Diameter	76 mm / 2.99 in	76 mm / 2.99 in	76 mm / 2.99 in
Roll Outer Diameter	308 mm / 12.13 in	340 mm / 13.39 in	207 mm / 8.15 in
Unwinding Direction	Inlay on outside of roll	Inlay on outside of roll	Inlay on outside of roll
Standard Roll Size	18 000 (-0% +1.5%)	13 000 (-0% +1.5%)	3,000 (-0% +1.5%)
Min. Guar. Yield/Roll	99%	99%	99%
Box Dimensions	39.5 x 39.0 x 17.0 cm / 15.56 x 15.35 x 6.69 in	39.5 x 39.0 x 17.0 cm / 15.56 x 15.35 x 6.69 in	39.5 x 39.0 x 17.0 cm / 10.24 x 10.24 x 14.57 in
Roll/Box	2	2	5
Inlays/Box	36 000	26 000	15 000
Box Gross Weight	9.04 kg / 19.93 lbs	11.58 kg / 25.53 lbs	9.30 kg / 20.50 lbs
Pallet Dimensions	120 x 80 x 151 cm / 47.2 x 31.5 x 59.4 in	120 x 80 x 151 cm / 47.2 x 31.5 x 59.4 in	120 x 80 x 126 cm / 47.2 x 31.5 x 49.6 in
Boxes/Pallet	48	48	36
Inlays/Pallet	1 728 000	1 248 000	540 000
Pallet Gross Weight	459 kg / 1 012 lbs	581 kg / 1 281 lbs	360 kg / 794 lbs

Contact us:

Tageos HQ . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com



© 2023 Tageos. All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.